

## Fournitures techniques

- Caoutchouc, plastique
- Tuyaux, raccords
- Eléments de transmission
- Protection au travail
- Outillage
- Colles 3M

### COLLIERS, LANCES, DEVIDOIRS, VANNES

#### Attache rapide en plastique, Sachet de 100 pièces

Art.	Dim.	CHF/ pqt	Art.	Dim.	CHF/ pqt	Art.	Dim.	CHF/ pqt
27120	100x25	3,50	27125-1	250x46	14.-	27127-1	450x75	51,50
27120-1	140x35	4,50	27126	300x46	22.-	27124	550x90	65.-
27123	185x46	8,30	27126-1	360x46	22.-	27122-1	750x75	104,70
27123-1	200x45	7,60	27127	365x76	35.-	27122	780x90	89.-
27125	240x76	21.-	27126-2	380x45	22.-			



#### Lance réglable, en laiton

Art.	Dim.	CHF/ pce	Art.	Dim.	CHF/ pce	Art.	Dia.	CHF/ pce
20002	3/4"	21.-	20003	1"	22.-	20004	16 mm	21.-
						20004A	19 mm	21.-



#### Lance d'arrosage, en laiton, embout en caoutchouc

Art.	Dim.	CHF/ pce
41570	3/4"	59.-



#### Pistolet de lavage en laiton, molette réglable, très robuste

Art.	Dim.	CHF/ pce
200011	1/2"	122,20



#### Pistolet de lavage réglable en laiton, recouvert de caoutchouc, 1/2"

Art.	Dim.	CHF/ pce
200062	1/2"	115.-




#### Lance GEKA

Art.	CHF/ pce
2071	50,60




#### Lance aluminium avec grille, vanne à bille 3/4"

Art.	Long.	CHF/ pce
20008A	40 cm	93.-



#### Porte-tuyau mural pour 25 m.

Art.	CHF/ pce
21010	16.-



#### Dévidoir avec passage d'eau 3/4" pour 50 m. de 15 mm

Art.	Dim.	CHF/ pce
21011	3/4"	278.-



#### Robinet de jardin

Art.	Dim.	CHF/ pce
20077	3/4"	18.-



#### robinet à fût "huile " en métal 3/4"

Art.	Dim.	CHF/ pce
701036	3/4"	24,40



#### Robinet à sphère, Typ. MIGNON

Art.	Dim.	CHF/ pce	Art.	Dim.	CHF/ pce	Art.	Dim.	CHF/ pce
20067A	1/8"	8.-	20067	1/4"	8.-	20068	3/8"	8.-



#### Robinet à manette

Art.	Dim.	CHF/ pce	Art.	Dim.	CHF/ pce	Art.	Dim.	CHF/ pce
20069	1/4"	11.-	20072	3/4"	18.-	20073B	1 1/2"	60.-
20070	3/8"	11.-	20073	1"	26,20	20074	2"	87,30
20071	1/2"	13.-	20073A	1 1/4"	41,05	20074A	2 1/2"	75.-



#### Vanne guillotine

Art.	Dim.	CHF/ pce	Art.	Dim.	CHF/ pce	Art.	Dim.	CHF/ pce
3331	1/2"	10,50	3334	1 1/4"	25.-	3338	3"	69.-
3332	3/4"	14,50	3335	1 1/2"	44,30			
3333	1"	18.-	3336	2"	42.-			



## Fournitures techniques

- Caoutchouc, plastique
- Tuyaux, raccords
- Eléments de transmission
- Protection au travail
- Outillage
- Colles 3M


### RACCORDS STORZ

#### Raccord STORZ en ALU, pour tuyau souple




Art.	Dim.	CHF/ pce	Art.	Dim.	CHF/ pce	Art.	Dim.	CHF/ pce
25000	19-31 db	15.-	25004	32-66 db	27.-	250060	65-89 db	39,10
250020	25-31 db	12.-	25005	38-66 db	23,30	25007	75 - 89 db	25,20
25003	32-44 db	25.-	250051	40-66 db	28,80	250070	75-105 db	80.-
250021	25-52 db	24.-	25005A	45-66 db	27.-	25011	90-105 db	68,60
250040	32-52 db	24.-	25006-1	50-66 db	34,80	25008	100-115 db	52.-
250050	38-52 db	24.-	25006	52-66 db	17,40	25010	90-133 db	83.-
25001	19-66 db	29.-	250061	55-66 db	29.-	250080	100-133 db	57.-
25002	25-66 db	27.-	250062	60-66 db	29.-	25009	110-133 db	54.-
						250013A	150-160 db	146,70

#### Raccord STORZ fixe, avec taraudage Femelle




Art.	Dim.	CHF/ pce	Art.	Dim.	CHF/ pce	Art.	Dim.	CHF/ pce
250121	1/2"-31 db	21,20	25013	1"-66 db	23.-	25019	3"-89 db	39,60
25012A	3/4"-31 db	21.-	25014	1 1/4" -66 db	23.-	25020	3"-105 db	76,60
25012	1"-31 db	17.-	25016	1 1/2" -66 db	22.-	25021	4"-115 db	56.-
25015B	1 1/4"-31 db	27,50	25017	2"-66 db	15.-	25022	4"-133 db	58.-
25015A	1 1/4"-44 db	28.-	25017A	2 1/2" 66 db	32.-	25022-1	4 1/2"-133 db	63,30
25015	1 1/2"-52 db	23,20	25018A	2"-89 db	33,30	25023	5"-148 db	112,50
25012B	3/4"-66 db	33.-	25018	2 1/2"-89 db	23,50	250232	6"-160 db	146,50

#### Raccord STORZ fixe, avec filetage Mâle




Art.	Dim.	CHF/ pce	Art.	Dim.	CHF/ pce	Art.	Dim.	CHF/ pce
25024A	3/4"-31 db	17.-	25027	1 1/4"-66 db	25.-	25030	3 "-89 db	36.-
25024	1"-31 db	15.-	25027A	1 1/2"-66 db	25.-	25030A	3"-105 db	36.-
25026	1" 1/4-44 db	25.-	25028	2"-66 db	20.-	25031	4"-115 db	77.-
25026A	1" 1/2-52 db	25.-	25028A	2 1/2"-66 db	35.-	25032	4"-133 db	64.-
25025A	3/4"-66 db	23.-	25028-1	2"-89 db	27.-	25033	5"-148 db	78.-
25025	1"-66 db	23.-	25029	2 1/2"-89 db	37.-			

#### Réduction STORZ



Art.	Dim.	CHF/ pce	Art.	Dim.	CHF/ pce	Art.	Dim.	CHF/ pce
250370	31-52 db	51.-	250379	66-133 db	128,40	250374	105-115 db	259.-
250372	31-66 db	46,10	250371	89-105 db	119,60	250375	105-133 db	288,20
250355	66-44 db	89.-	250373	89-115 db	128.-	250376	115-133 db	154.-
250360	66-89 db	49.-	25037	89-133 db	93.-	250377	133-148 db	258.-
						25037D	133-160 db	258.-

#### Bouchon STORZ



Art.	Dim.	CHF/ pce	Art.	Dim.	CHF/ pce	Art.	Dim.	CHF/ pce
25038A	31 db	14.-	25039	89 db	26.-	25041	133 db	59.-
25038B	52 db	32.-	25040	105 db	79,20	25041A	148 db	100.-
25038	66 db	17.-	25042	115 db	59.-	25044	160 db	128.-

#### Joint STORZ




Art.	Dim.	CHF/ pce	Art.	Dim.	CHF/ pce	Art.	Dim.	CHF/ pce
25051J	31 db	1,40	25054J	66 db	3.-	25057J	115 db	7.-
25052J	44 db	2,90	25055J	89 db	3,50	25058J	133 db	8.-
25053J	52 db	2,90	25056J	105 db	6.-	25059J	148 db	9.-

#### Clé STORZ Universelle



Art.	Dim.	CHF/ pce	Art.	Dim.	CHF/ pce
25047A	31 db	59.-	25050 ABC	38.-	ABC
			25050AB	25.-	BC



Art.	Dim.	CHF/ pce	Art.	Dim.	CHF/ pce	Art.	Dim.	CHF/ pce
25047A	31 db	59.-	25047	31 mm	106,10	25058	66 db	96.-
						25047B	19 mm	29.-

#### Crépine STORZ en ALU, avec clapet de retenue



Art.	Dim.	CHF/ pce
25043	66 db	169.-



## Fournitures techniques

- Caoutchouc, plastique
- Tuyaux, raccords
- Eléments de transmission
- Protection au travail
- Outillage
- Colles 3M

### COLLIERS DE SERRAGE

#### Collier de serrage Oetiker



Art.	Dia.	CHF/ pce	Art.	Dia.	CHF/ pce	Art.	Dia.	CHF/ pce
27200	5x7	0,80	27206	17x20	1,10	27209B	31x34	1,40
27201	7x9	0,80	27207	20x23	1,10	27212	32x37	1,60
27202	9x11	0,80	27208	22x25	1,30	27213	35x40	1,80
27203	11x13	0,90	27209	25x28	1,40	27209A	37x40	1,40
27204	13x15	1,10	27210	27x31	1,50			
27205	15x18	1,10	27111	29x34	1,50			

#### Collier P-CLIP , en acier galvanisé, avec protection caoutchouc



Art.	Dia.	CHF/ pce	Art.	Dia.	CHF/ pce	Art.	Dia.	CHF/ pce
270000	6 mm	1,20	270050	21 mm	1,70	270090	42 mm	3,60
270010	8 mm	1,20	270051	24 mm	2,10	270100	45 mm	3,90
270020	10 mm	1,30	270061	29 mm	2,70	270110	51 mm	4,30
270030	13 mm	1,50	270060	32 mm	3,-	27011A	54 mm	4,50
270040	16 mm	1,70	270070	35 mm	3,10	27012A	64 mm	4,90
27004A	19 mm	1,40	270080	38 mm	3,40			

#### Collier de serrage MINI, 9 mm. Vis 6 pans 7 mm



Art.	Dia.	CHF/ pce	Art.	Dia.	CHF/ pce	Art.	Dia.	CHF/ pce
27007	6x7	0,90	27011M	9x11	0,90	27014	13x15	1,10
27008	7x9	0,90	27012	11x13	1,-	27015	14x16	1,20
27011C	8x10	0,90	27012-1	12x13	1,-	27017	15x17	1,20
27011B	9x10	0,90	27013	12x14	1,10	27016	16x18	1,20

#### Collier de serrage ABA, 12 mm. Vis 6 pans 7 mm. Acier galvanisé



Art.	Dia.	CHF/ pce	Art.	Dia.	CHF/ pce	Art.	Dia.	CHF/ pce
28020	8x14	1,30	28029	38x50	1,60	28040	130x165	3,20
28021	10x17	1,30	28031	44x56	1,80	28041	150x180	4,-
28022	13x20	1,50	28032	50x65	1,90	28042	175x205	3,85
28023	15x24	1,50	28033	58x75	2,20	28044	200x231	4,30
28024	19x28	1,60	28034	68x85	2,20	28045	226x256	4,75
28025	22x32	1,60	28035	77x95	2,30	28046	251x282	5,30
28026	26x38	1,70	28036	87x112	3,00	28047	227x307	5,80
28028	32x44	1,60	28037	104x138	3,10			

#### Collier de serrage INOX, 12,2 mm. Vis 6 pans 7 mm



Art.	Dia.	CHF/ pce	Art.	Dia.	CHF/ pce	Art.	Dia.	CHF/ pce
27020	8x14	3,30	27025	22x32	4,50	27030	50x65	5,60
27021	11x17	4,40	27026	26x38	4,60	27031	58x75	5,70
27022	13x20	4,40	27027	32x44	3,70	27032	68x85	5,80
27023	15x24	4,30	27028	38x50	4,90	27033	77x95	7,50
27024	19x28	4,50	27029	44x56	5,60	27034	87x112	8,50

#### Collier de serrage ROBUSTE, 20 mm. Vis 6 pans. Acier galvanisé



Art.	Dia.	CHF/ pce	Art.	Dia.	CHF/ pce	Art.	Dia.	CHF/ pce
27040	17x19	5,90	27049	48x51	7,60	27057	86x91	11,10
27041	19x21	6,-	27050	51x55	7,70	27058	92x97	11,60
27042	23x25	6,10	27051	55x59	7,90	27059	98x103	11,90
27043	26x28	6,10	27052	60x63	8,-	27060-i	104x112	23,60
27044	29x31	6,10	27053	64x67	9,40	27060	111x118	12,90
27045	32x35	5,50	27054	68x73	10,30	27061-i	122x130	24,80
27046	36x39	5,80	270540	73x79	10,30	27061	188x200	21,10
27047	40x43	6,50	27055	76x82	10,30			
27048	44x47	7,50	27056	79x85	10,70			

#### Collier de serrage Pari 2 parties vis Imbus



Art.	Dia.	CHF/ pce	Art.	Dia.	CHF/ pce	Art.	Dia.	CHF/ pce
28069-3	50x62	8,50	280950	105x115	11,20	281040	150x165	14,-
28071	55x67	8,30	280960	110x120	11,40	281050	160x175	14,60
280710	60x70	8,30	280970	115x125	11,40	281060	165x180	14,60
28075	75x85	9,10	280980	120x130	12,90	281061	180x195	15,10
28077	80x90	9,10	280990	125x135	12,90	281070	190x205	15,30
280780	85x95	10,20	281000	130x140	13,80	281091	200x215	16,60
280790	90x100	10,20	281010	135x145	13,80	2810900	220x235	18,40
280800	95x105	10,20	281020	140x150	13,80	281090	230x245	18,60
280930	100x110	10,20	281030	145x155	14,-	281080	260x275	19,20

## Fournitures techniques

- Caoutchouc, plastique
- Tuyaux, raccords
- Eléments de transmission
- Protection au travail
- Outillage
- Colles 3M

## TUYAUX DE VENTILATION

### Tuyau de ventilation avec ISOLATION THERMIQUE, fibre de verre 25 mm.

Temp. -30°... +140°. Rlx 10 m



Art.	Dia.	CHF/ m.	Art.	Dia.	CHF/ m.	Art.	Dia.	CHF/ m.
DIX25065	65 mm	16,-	DIX25160	160 mm	23,20	DIX25300	300 mm	44,10
DIX25075	75 mm	16,-	DIX25180	180 mm	27,20	DIX25315	315 mm	45,40
DIX25080	80 mm	14,30	DIX25200	200 mm	29,20	DIX25355	355 mm	54,50
DIX25100	100 mm	16,70	DIX25225	225mm	32,70	DIX25400	400 mm	63,50
DIX25125	125 mm	18,80	DIX25250	250 mm	35,70	DIX25500	500 mm	89,90
DIX25150	150 mm	22,60	DIX25280	280 mm	44,10	DIX25600	600 mm	124,50

### Tuyau de ventilation avec ISOLATION PHONIQUE, fibre de verre 25 mm. Intérieur ALU perforé

Rlx 10 m



Art.	Dia.	CHF/ m.	Art.	Dia.	CHF/ m.	Art.	Dia.	CHF/ m.
DSX25080	80 mm	15,60	DSX25200	200 mm	30,60	DSX25355	355 mm	56,90
DSX25100	100mm	17,40	DSX25224	224 mm	37,30	DSX25400	400 mm	69,50
DSX25125	125 mm	19,80	DSX25250	250 mm	37,50	DSX25450	450 mm	80,30
DSX25150	150 mm	23,50	DSX25280	280 mm	46,20	DSX25500	500 mm	87,10
DSX25160	160 mm	24,50	DSX25300	300 mm	46,20	DSX25560	560 mm	126,10
DSX25180	180 mm	28,60	DSX25315	315 mm	51,90	DSX25600	600 mm	126,10

### Collier de serrage en INOX à fermeture pivotante



Art.	Dia.	CHF/ m.	Art.	Dia.	CHF/ m.	Art.	Dia.	CHF/ m.
QIP110	50-110	1,20	QIP215	60-215	2,40	QIP660	50-660	5,50
QIP135	60-135	1,40	QIP325	60-325	3,25	QIP750	60-750	7,90
QIP165	60-165	1,70	QIP525	60-525	4,85			

### Collier de serrage en bande INOX 9 mm. Rlx 30 m



Art.	CHF/ rol.
QIPBD30	49,-

### Agrafes pour colliers

Art.	CHF/ box
QIPBK25 25 pces	25,-

### Ruban d'étanchéité, autovulcanisant, en Butyl

GRIS. Long. 15 m. Temp. -40°... +70°



Art.	Dia.	CHF/ m.
ALU050	50 mm	10,80

### Ruban ALU autocollant, avec renfort en fibre

Art.	Dia.	CHF/ rol.
PSB30050	50 mm	39,10
PSB30075	75 mm	59,-

### Clapet anti-retour



Art.	Dia.	CHF/pce	Art.	Dia.	CHF/pce	Art.	Dia.	CHF/pce
RSK080K	80 mm	17,-	RSK180L	180 mm	30,-	RSK315L	315 mm	49,90
RSK100K	100 mm	17,-	RSK200L	200 mm	31,-	RSK355L	355 mm	64,20
RSK125L	125 mm	19,-	RSK224L	224 mm	35,70	RSK400L	400 mm	75,70
RSK150L	150 mm	22,-	RSK250L	250 mm	35,70	RSK450L	450 mm	121,20
RSK160L	160 mm	22,-	RSK280L	280 mm	49,90	RSK500L	500 mm	130,30

### Soupape d'évacuation



Art.	Dia.	CHF/pce	Art.	Dia.	CHF/pce	Art.	Dia.	CHF/pce
OPF080	80 mm	10,50	OPF125	125 mm	11,90	OPT200	200 mm	23,70
OPF100	100 mm	10,50	OPT160	160 mm	17,40			